

Bellini®



Bellini



Bellini is a brand built on a foundation of quality combined with affordability – offering cooking solutions for all Australian household kitchens.

Bellini prides itself on 'affordable living' making sure there is no compromise in your favourite room... the Kitchen!

All Bellini major appliances purchased after 1st of October 2017 carry a 3 year in home warranty.


For all warranty and technical queries, please contact – 1300 373 199.

All hard-wired appliances must be installed by a qualified tradesperson.

All gas products must be installed by a qualified tradesperson.

All Bellini gas products come with LPG conversion kits. Products come set-up as natural.

60CM CERAMIC COOKTOP 60CM ELECTRIC OVEN



BPT350EC 5104067

BCT604TG

- > 4 Zone Ceramic Cooktop
- > Sensor Touch Control Mode
- > 9 Stage Power Settings
- > Child Lock
- > Residual Heat Display
- > Automatic Safety Switch Off
- > Digital Timer
- > 30 Amp Hard Wired

CUT OUT DIMENSIONS

- > 560mmW x 490mmD

BOT605BX

- > 5 Function Stainless Steel Electric Oven
- > 3 Layered Glass Cool Touch Door
- > 65L Oven Capacity
- > 120 Minute Timer
- > Enamel Interior
- > 15A Plug in

CUT OUT DIMENSIONS

- > 560mmW x 589mmH x 550mmD

60CM ELECTRIC COOKTOP 60CM 8 FUNCTION ELECTRIC OVEN



BP170EE 5103598

BCS604X-F

- > Stainless Steel 4 Solid Hot Plate Cooktop
- > Convenient Side Panel Control
- > Indicator Light
- > Hard Wired
- > 4 Fast Heatup

CUT OUT DIMENSIONS

- > 555mmW x 473mmD

BOT608X-F

- > 8 Function Stainless Steel Electric Oven
- > 3 Layer Cool Touch Glass Door
- > 60L Oven Capacity
- > Retractable Spring Loaded Control Knobs
- > Easy Clean Enamel Interior
- > 15A Plug in



SPECIFICATIONS

BCS604X-F

- > 2 x 2000W Elements
- > 2 x 1500W Elements
- > 580mmL x 500mmD

CUT OUT DIMENSIONS

- > 560mmW x 589mmD x 550mmD

BOT608X-F

- > Oven light
- > Defrost
- > Conventional mode
- > Fan forced
- > Half Grill
- > Full Grill
- > Full Grill & Fan Force
- > Bottom heating with fan force 595mmL x 596mmH x 575mmD

60CM 4 BURNER GAS COOKTOP 60CM 8 FUNCTION ELECTRIC OVEN



BP270EG 5103595

CGH6401-F

- > Stainless Steel 4 Burner Cooktop
- > Side Controls
- > Enameled Trivets
- > Flame Failure Safety Device On Each Burner
- > Electronic Ignition
- > 10 Amp Power Supply
- > Plug In
- > LPG Or Natural Gas

CUT OUT DIMENSIONS

- > 555mmW x 473mmD

BOT608X-F

- > 8 Function Stainless Steel Electric Oven
- > 3 Layer Cool Touch Glass Door
- > 60L Oven Capacity
- > Retractable Spring Loaded Control Knobs
- > Easy Clean Enamel Interior
- > 15A Plug in



SPECIFICATIONS

CGH6401-F

- > 1 x Rapid Burner
- > 2 x Semi Rapid Burners
- > 1 x Auxiliary Burner
- > 580mmL x 503mmD

CUT OUT DIMENSIONS

- > 560mmW x 589mmH x 550mmD

BOT608X-F

- > Oven Light
- > Defrost
- > Conventional Mode
- > Bottom Heating With Fan Force
- > Fanforced
- > Full Grill
- > Full Grill With Fan Force
- > Half Grill
- > 595mmL x 596mmH x 575mmD

60CM GAS COOKTOP 60CM 9 FUNCTION OVEN



BP370EG 5103600

BGM604-F

- > Stainless Steel 4 Burner Cooktop
- > Cast Iron Trivets
- > Flame Failure Safety Device On Each Burner
- > Auto Ignition

CUT OUT DIMENSIONS

- > 553mmW x 473mmD

BOM609CX-F

- > 9 Function Fan Forced Oven
- > Electronic Control
- > 3 Layer Glass Cool Touch Door
- > 65L Oven Capacity
- > Digital Programmable Clock
- > Push & Pull Control Knobs
- > Enamel Interior
- > Cooling Fan
- > 15 A Plug in

CUT OUT DIMENSIONS

- > 560mmW x 600mmH x 560mmD



SPECIFICATIONS


BGM604-F

- > 1 x Rapid Burner
- > 2 x Semi Rapid Burners
- > 1 x Auxiliary Burner
- > 590mmW x 500mmD

BOM609CX-F

- > Oven Light
- > Defrost
- > Conventional Cooking
- > Radiant Grill
- > Bottom Heating
- > Convection
- > Combined Grill With Fan
- > Combined Grill
- > With Fan Conventional Cooking
- > 595mmL x 595mmH x 575mmD

60CM CERAMIC COOKTOP 60CM 9F FUNCTION OVEN



BP470EC 5103599

BC604TG-F

- > 4 Zone Ceramic Cooktop
- > Sensor Touch Control Mode
- > 9 Stage Power Settings
- > Child Lock
- > Residual Heat Display
- > 99 Minute Timer
- > Automatic Safety Switch Off
- > 30 Amp Hard Wired

CUT OUT DIMENSIONS

- > 560mmW x 490mmD

BOM609CX-F

- > 9 Function Fan Forced Oven
- > Electronic Control
- > 3 Layer Glass Cool Touch Door
- > 65L Oven Capacity
- > Digital Programmable Clock
- > Push & Pull Control Knobs
- > Enamel Interior
- > Cooling Fan
- > 15A Plug in

CUT OUT DIMENSIONS

- > 560mmW x 600mmH x 560mmD



SPECIFICATIONS

BC604TG-F

- > Max Power: 6000W
- > Front Left Zone: 1800W
- > Rear Left Zone: 1200W
- > Front Right Zone: 1200W
- > Rear Right Zone: 1800W
- > 590mmW x 520mmD

BOM609CX-F

- > Oven Light
- > Defrost
- > Conventional Cooking
- > Radiant Grill
- > Bottom Heating
- > Convection
- > Combined Grill With Fan
- > Combined Grill
- > Conventional Cooking With Fan
- > 595mmL x 595mmH x 575mmD

60CM GLASS GAS COOKTOP 60CM 9FUNCTION ELECTRIC TOUCH OVEN

**BPD170EG 5103597****BDGM604G-F**

- > 4 Burner Glass Cooktop
- > Front Controls
- > Cast Iron Trivets
- > Flame Failure Safety Device On Each Burner
- > Electronic Ignition
- > 10 Amp Power Supply
- > Plug In
- > LPG Or Natural Gas

CUT OUT DIMENSIONS

- > 553mmW x 473mmD

**BDOM609TCX-F**

- > 9 Function Fan Forced Oven
- > Electronic touch Control
- > 3 Layer Reflective Glass Door
- > 65L Oven Capacity
- > Programmable Clock
- > Enamel Interior
- > 15 Amp Plug In


CUT OUT DIMENSIONS

- > 560mmW x 600mmD x 570mmH

SPECIFICATIONS

- > Oven Light
- > Defrost
- > Conventional Cooking
- > Convection
- > Bottom Element
- > Conventional Cooking With Fan
- > Radiant Grill
- > Double Grill
- > Double Combined Grill With Fan
- > 595mmL x 595mmH x 575mmD

60CM CERAMIC COOKTOP 60CM 9FUNCTION ELECTRIC TOUCH CONTROL OVEN

**BPD270EC 5103596****BDCM604T-F**

- > 60cm Ceramic Glass Cooktop
- > Touch Controls
- > Child lock
- > 4 Cooking Zones
- > Residual Heat Display
- > 590mmW x 520mmD Cook top

CUT OUT DIMENSIONS

- > 560mmW x 490mmD

**BDOM609TCX-F**

- > 9 Function Fan Forced Oven
- > 3 Layer Reflective Glass Door
- > 65L Oven Capacity
- > Programmable Clock
- > Enamel Interior
- > 15 Amp Plug In

CUT OUT DIMENSIONS


- > 560mmW x 600mmD x 570mmH

SPECIFICATIONS

- > Oven Light
- > Defrost
- > Conventional Cooking
- > Convection
- > Bottom Element
- > Conventional Cooking With Fan
- > Radiant Grill
- > Double Grill
- > Double Combined Grill With Fan
- > 595mmL x 595mmH x 575mmD

Rangehoods

60CM CURVE GLASS RANGEHOOD





BRA603GCX2-F 195631

- > Stylish Curve Glass Design
- > 3 speed Fan Operation
- > Aluminium Filters
- > 10 Amp Plug In
- > Carbon filter compatible (NOT INCLUDED) CF110

SPECIFICATIONS

- > 2 x 1.5W LED Lamps
- > 700m³/h Air Flow Extraction
- > 150mm Diameter Air Outlet
- > DB Ratings: 52db At Fan Setting 1
- > 600mmW x 500mmD x 1030mmH (Including Flue)
- > **Also available in 90cm BRA903GCX2 193247**

60CM SLIMLINE RANGEHOOD





BRA603SW2-F 195633

- > Painted white
- > Twin motors
- > 3 speed operation
- > Aluminium filters
- > 10 AMP plug
- > Carbon filter compatible (NOT INCLUDED) CF110

SPECIFICATIONS

- > 1 x 1.5W LED Lamp
- > 400 M3/H airflow extraction
- > 120mm air outlet top and rear
- > DB rating 53db at fansetting 1
- > 598mm W x 500 mm D x 150mm H




BRA603SX2 195634

- > Painted white
- > Twin motors
- > 3 speed operation
- > Aluminium filters
- > 10 AMP plug
- > Carbon filter compatible (NOT INCLUDED) CF110

SPECIFICATIONS

- > 1 x 1.5W LED Lamp
- > 400 M3/H airflow extraction
- > 120mm air outlet top and rear
- > DB rating 53db at fansetting 1
- > 598mm W x 500 mm D x 150mm H

60CM SLIDE OUT RANGEHOOD




BRA62SWP-F 81475

- > Stainless steel Front Fascia
- > Dual Aluminium Filters
- > 10 Amp Power Supply
- > Plug In
- > Carbon filter compatible (NOT INCLUDED)

SPECIFICATIONS

- > 1 x LED Light
- > 120mm Diameter Air Outlet
- > 300m³/h air flow extraction
- > DB Rating: 55db

60CM STAINLESS STEEL SLIMLINE CANOPY RANGEHOOD




BRA603SCPX2-F 195632

- > Stylish Stainless Steel Canopy
- > 3 Speed Fan Operation
- > Aluminium Filters
- > 10 Amp Plug In
- > Carbon filter compatible (NOT INCLUDED) CF100

SPECIFICATIONS

- > 1 x 1.5W LED Lamp
- > 380m³/h Air Flow Extraction
- > 150 Diameter Air Outlet
- > DB Rating: 52db At Fan Setting 1
- > 600mmW x 480mmD x 920mmH (Including Flue)

120CM STAINLESS STEEL BBQ RANGEHOOD



BBQRA123X 5103011

- > Stylish Stainless Steel Canopy
- > 3 Speed Fan Operation
- > Powerful Twin Motors
- > Push Button Controls
- > 8 x 2 Layer Baffle Filters
- > 10 Amp Plug In

SPECIFICATIONS

- > 4 x 2W LED Lamps
- > 2000m³/h Air flow extraction
- > 2 x 150mm Diameter Air Outlets
- > DB Rating: 65db At Fan Setting 1
- > 1200mmW x 800mmD x 1060mmH (including Flue)


Rangehood

52CM UNDERMOUNT RANGEHOOD



BRA52UX 81476

- > 3-speed fan operation
- > Single motor
- > Aluminium filters
- > Carbon filter compatible (NOT INCLUDED) CF110




75CM UNDERMOUNT RANGEHOOD



BRA75UX 133506

- > Single motor
- > Aluminium filters
- > 3 Speed Fan Operation
- > Carbon filter compatible (NOT INCLUDED) CF110




60CM RETRACTABLE RANGEHOOD



CRHR6W02-F 195636


- > Stylish Stainless Steel Front Fascia
- > Convenient 3 Speed Slide Switch Operation
- > Dual Aluminium Filters
- > Powerful Twin Motors
- > 10 Amp Power Supply
- > Plug In
- > Carbon filter compatible (NOT INCLUDED) CF110



SPECIFICATIONS

- > 1 x 1.5W LED Lamp
- > 400m³/h Air Flow Extraction
- > 120mm Diameter Air Outlet
- > DB Rating: 53db At Fan Setting 1
- > 600mmL x 280mmD x 175mmH (Closed Position)
- > **Also available in 90cm BRA903SLX-F 195635**

60CM RECIRCULATING SLIDE OUT RANGEHOOD




BR603FRW2-F 195629

- > Recirculating model
- > Stylish Stainless Steel Front Fascia
- > Convenient 3 Speed Slide Switch Operation
- > Dual Aluminium Filters
- > Powerful Twin Motors
- > 10 Amp Power Supply
- > Plug In
- > Carbon filter compatible (NOT INCLUDED) CF110

SPECIFICATIONS

- > 1 x 1.5W LED Lamp
- > 400m³/h Air Flow Extraction
- > 120mm Diameter Air Outlet
- > DB Rating: 52db At Fan Setting 1
- > 600mmL x 280mmD x 175mmH (Closed Position)

90CM CANOPY RANGEHOOD




BRA903CPX2-F 186539

- > Stylish Stainless Steel Canopy
- > 3 Speed Fan Operation
- > Aluminium Filters
- > Powerful Single Motor
- > 10 Amp Power Supply
- > Plug In
- > Carbon filter compatible (NOT INCLUDED) CF110

SPECIFICATIONS

- > 1 x 1.5W LED Lamp
- > 700m³/h Air Flow Extraction
- > DB Rating: 52 At Fan Setting 1
- > 900mmL x 500mmD x 245mmH
- > Flue Height: 400mm - 780mmH

60CM/90CM BLACK FASCIA CANOPY RANGEHOOD



BDRA603TBX2 229596

- > Touch Control Black Fascia
- > 3 Speed Fan
- > Aluminium Filters
- > 10 Amp Plug In
- > Carbon filter compatible (NOT INCLUDED) CF110

SPECIFICATIONS

- > 1 x 1.5W LED Lamp
- > 700m³/h Air Flow Extraction
- > 150mm Diameter Air Outlet
- > DB Rating: 54db At Fan Setting
- > Also available in 90cm BDRA903TBX2 186584

Rangehood

BELLINI STAINLESS STEEL 800MM FLUE EXTENSIONS



*Special
Order*

BFETBX80 4790554

- > Stainless Steel (#430SS)
- > 800mm (top flue only)

To suit models

- > BDRA603TBX and BDRA603TBX2
- > BDRA903TBX and BDRA903TBX2

BFECPX80 4790555

- > Stainless Steel (#430SS)
- > 800mm (top flue only)

To suit models

- > BRA603CPX and BRA603CPX2
- > BRA903CPX and BRA903CPX2


BFEGCX80 4790556

- > Stainless Steel (#430SS)
- > 800mm (top flue only)

To suit models

- > BRA603GCX and BRA603GCX2
- > BRA903GCX and BRA903GCX2

BELLINI ALUMINIUM REPLACEMENT RANGEHOOD FILTERS



*Special
Order*

BAF601 5104017

- > 2 pack

To suit models

- > BDRA603TBX and BDRA603TBX2
- > BRA603CPX and BRA603CPX2
- > BRA603GCX and BRA603GCX2
- > BRA603SCPX and BRA603SCPX2

BAF901 5104018

- > 2 pack

To suit models

- > BDRA903TBX and BDRA903TBX2
- > BRA903CPX and BRA903CPX2
- > BRA903GCX and BRA903GCX2

BAF902 5104202

- > 2 pack


To suit models

- > BRA903GCX and BRA903GCX2

Microwaves



25L STAINLESS STEEL BUILT IN MICROWAVE OVEN




BMW625IGX 5102779

- > 25L Capacity
- > Stylish Stainless Steel Fascia
- > Integrated Stainless Steel Trim Kit
- > Electronic Control Panel
- > Glass Turntable
- > Child Lock
- > Plug In

SPECIFICATIONS

- > Microwave
- > Microwave & Grill
- > Defrost
- > 595mmL x 388mmH x 400mmD

25L STAINLESS STEEL BUILT IN CONVECTION MICROWAVE OVEN



BMW625TKX 5102780

- > 25L Capacity
- > Stylish Stainless Steel Fascia
- > Stainless Steel Trim Kit
- > Electronic Control Panel
- > Glass Turntable
- > Child Lock
- > Plug In

SPECIFICATIONS

- > Microwave
- > Convection
- > Grill
- > Microwave & Grill
- > Microwave & Convection
- > Defrost
- > 595mmL x 388mmH x 470mmD

Dishwashers

45CM WHITE DISHWASHER, 9 PLACE SETTING, 6 PROGRAMS



BDW96W-F 5104010

- > Electronic Control Panel
- > 9 Place Setting
- > 6 Wash Programs: Intensive, Heavy, Normal, Rinse, Rapid & All In One
- > Aqua Stop
- > Self Cleaning Filter System
- > Delay Timer
- > Cutlery Tray Compartment
- > Adjustable Baskets
- > 3 Star Energy Rating
- > 4 Star Water Rating
- > 450mmW x 580mmD x 850mmH

45CM SILVER DISHWASHER WITH S/STEEL DOOR, 9 PLACE SETTING, 6 PROGRAMS



BDW96X-F 5104011

- > Electronic Control Panel
- > 9 Place Setting
- > 6 Wash Programs: Intensive, Heavy, Normal, Rinse, Rapid & All In One
- > Self Cleaning Filter System
- > Delay Timer
- > Cutlery Tray Compartment
- > Adjustable Baskets
- > 3 Star Energy Rating
- > 4 Star Water Rating
- > 450mmW x 580mmD x 850mmH

60CM 6 PROGRAM DISHWASHER



BDW6WP-F 5104071

- > Features:
- > 6 Program
- > 4 Star Water Rating
- > 3 Star Energy Rating
- > Electronic Control Panel
- > 12 Place Setting
- > Delay timer
- > Child Lock
- > 10 Amp Plug in
- > Noise Level: 52DB



BDW6XP-F 5104072

- > Features:
- > 6 Program
- > 4 Star Water Rating
- > 3 Star Energy Rating
- > Electronic Control Panel
- > 12 Place Setting
- > Delay timer
- > Child Lock
- > 10 Amp Plug in
- > Noise Level: 52DB


60CM FULLY INTEGRATED DISHWASHER



BFDM146X 133505

- > Electronic control
- > Height adjustable baskets
- > Water efficient and energy saving
- > Delay start 3, 6 and 9 hours

60CM STAINLESS STEEL 14 PLACE SETTING DISHWASHER



BDW147X 171378

- > Electronic control
- > 14 Place settings
- > Water efficient and energy saving
- > Child lock
- > Height adjustable baskets


Electric Ovens

60CM 9 FUNCTION ELECTRIC OVEN



BOM609CX 5103646

- > 9 Function Fan Forced Oven
- > Electronic Control
- > 3 Layer Glass Cool Touch Door
- > 65L Oven Capacity
- > Digital Programmable Clock
- > Retractable spring loaded
- > control knobs
- > Enamel Interior
- > Cooling Fan
- > 15 Amp Plug In



SPECIFICATIONS


- > Oven Light
- > Defrost
- > Conventional Cooking
- > Radiant Grill
- > Bottom Heating
- > Convectional cooking With Fan
- > Combined Grill With Fan
- > Combined Grill
- > Convection
- > 595mmL x 595mmH x 555mmD

90CM 9 FUNCTION BUILT IN ELECTRIC OVEN



BO908CX 5102292

- > 9 Function Fan Forced Oven
- > 3 Layer Reflective Glass Door
- > 70L Oven Capacity
- > Programmable Clock
- > Enamel Interior
- > 15 Amp Plug In



SPECIFICATIONS


- > Oven Light
- > Defrost
- > Fan Forced
- > Convection
- > Bottom Heating
- > Full Grill
- > Full Grill With Fan Assist
- > 1/2 Grill With Fan Assist
- > 895mmL x 475mmH x 548mmD

60CM 8 FUNCTION BLACK BUILT IN OVEN



BOT608B-F 5103641


- > 8 Function Black Electronic Oven
- > Fan Forced
- > 60L Oven Capacity
- > Enamel Interior
- > Cooling Fan
- > Hard Wired
- > Easy Clean Enamel Interior
- > 15 Amp Plug In



SPECIFICATIONS

- > Oven Light
- > Defrost
- > Conventional mode
- > Convection
- > Bottom Heating With Fan assist
- > Fan Forced
- > Full Grill
- > Full Grill With Fan assist
- > Half Grill
- > 595mmL x 596mmH x 565mmD

60CM 8 FUNCTION ELECTRIC OVEN WITH 70L CAPACITY


**BDO608JTX 5103046**

- > 8 Function Electric Oven
- > 70L Oven Capacity
- > EGO Function Selector
- > EGO Thermostat
- > Touch Control Digital Timer
- > Stainless Steel Control Panel
- > 3 Layer Glass Door With Stainless Steel Strip & Easy Removable Door
- > 15 Amp Plug In

SPECIFICATIONS

- > Oven Light
- > Defrost
- > Fan Forced
- > Convection
- > Full Grill
- > Half Grill
- > Full Grill With Fan Assist
- > Bottom Heating With Fan Assist
- > 595mmW x 540mmD x 600mmH

60CM 14 FUNCTION DOUBLE OVEN


**BDO614DX 5103052**

- > 14 Function Stainless Steel Double Electric Oven
- > Black Glass With Stylish Stainless Steel Control Panel
- > 25 Amp Hard Wired

SPECIFICATIONS

- > TOP OVEN
- > Double Layered Glass Door
- > Mechanical Control
- > 36L Oven Capacity
- > 5 Functions: Oven light, Bottom Heat, Conventional, Half Grill & Full Grill
- > BOTTOM OVEN
- > Electric Button With LCD Display
- > Triple Layered Glass Door
- > 60L Oven Capacity
- > Oven Light
- > 9 Functions: Defrost, Conventional, Fan Forced, Half Grill, Full Grill, Fan Grill, Fan With Bottom Heat, Intensive Bake & Fan Forced With Bottom Heat
- > 595mmW x 558mmD x 885mmH

60CM 9 FUNCTION TOUCH OVEN




BDOM609TCX 5103647

- > 9 Function Fan Forced Oven
- > 3 Layer Reflective Glass Door
- > 65L Oven Capacity
- > LCD full touch control
- > Enamel Interior
- > 15 Amp Plug In

SPECIFICATIONS

- > Oven Light
- > Defrost
- > Conventional Cooking
- > Convection
- > Bottom Element
- > Convection With Fan
- > Radiant Grill
- > Combined Grill
- > Combined Grill With Fan
- > 595mmL x 595mmH x 555mmD

60CM 10 FUNCTION PYROLYTIC ELECTRIC OVEN



BDO6010PDCX 5103551

- > 10 Function Pyrolytic Electric Oven
- > 65L Oven Capacity
- > Digital Control
- > LED Display
- > 4 Layered Glass Door
- > Stainless Steel Control Panel
- > Hard Wired

SPECIFICATIONS

- > Oven Light
- > Defrost
- > Fan Forced
- > Convection
- > Full Grill
- > Half Grill
- > Full Grill With Fan Assist
- > Top & Bottom Heating With Fan Assist
- > Bottom Heating
- > Pyrolytic - 450 degrees
- > 595mmW x 575mmD x 595mmH

Freestanding Ovens

50CM FREESTANDING GAS OVEN



BFG509W 5104012

- > 50cm freestanding
- > 9 functions
- > FFD device for four burners
- > 4 gas burners
- > 150-250°temperature range
- > Timer and oven light
- > Sabaf burners, cast iron support
- > Triple glazed glass door
- > Multifunction oven with fan force
- > 1 deep tray and 2 shelves
- > Fixed drawer

60CM FREESTANDING CERAMIC OVEN



BFC609W 5104013

- > 60cm freestanding
- > 9 functions
- > Ceramic cooktop
- > "A" energy efficiency rating
- > 70L electric oven
- > 5 level wire rack support
- > Triple glazed glass door
- > Multifunction oven with fan force
- > 1 deep tray and 2 shelves
- > 1 small wire rack insert
- > Pull out drawer

60CM FREESTANDING GAS OVEN

90CM FREESTANDING GAS COOKTOP & ELECTRIC OVEN




BDFS905X-F 5103719

- > 90cm freestanding cooker
- > Digital clock
- > Sabaf burners
- > Multifunction oven with double fans
- > 3-layer door glass
- > Wire rack support
- > Flameout protection
- > 121L capacity
- > Oven size: 895 x 650 x 900mm
- > Rapid burner: 3.0kw
- > Semi rapid burner: 1.75kw*2
- > Auxiliary burners: 1.0kw
- > Triple crown burners: 3.6kw

Cooktops

60CM 4 ELECTRIC COOKTOP




BCS604X 5102272

- > Stainless Steel 4 Solid Hot Plate Cooktop
- > Convenient Side Panel Control
- > Indicator Light
- > 30 AMP Hard Wired

SPECIFICATIONS

- > 2 x 2000W Elements
- > 2 x 1500W Elements
- > 580mmL x 500mmD

60CM 4 BURNER GAS COOKTOP




CGH6401 5102031

- > Stainless Steel 4 Burner Cooktop
- > Side Controls
- > Enamelled Trivets
- > Flame Failure Safety Device On Each Burner
- > Electronic Ignition
- > 10 Amp Power Supply
- > Plug In
- > LPG Or Natural Gas

SPECIFICATIONS

- > 1 x Rapid Burner
- > 2 x Semi Rapid Burners
- > 1 x Auxiliary Burner
- > 580mmL x 503mmD


60CM 4 BURNER GAS COOKTOP



BGT64XP-F 81477

- > Stainless Steel 4 Burner Cooktop
- > Front Controls
- > Electric ignition
- > 10 Amp Power Supply
- > LPG or Natural Gas

60CM 4 BURNER GAS GLASS COOKTOP





BDG604G 5102880

- > Glass 4 Burner Cooktop
- > Front Controls
- > Cast Iron Trivets
- > Flame Failure Safety Device On Each Burner
- > Electronic Ignition
- > 10 Amp Power Supply
- > Plug In
- > LPG Or Natural Gas

SPECIFICATIONS

- > 1 x Wok Burner
- > 2 x Semi Rapid Burners
- > 1 x Auxiliary Burner
- > 584mmW x 510mmD

60CM CERAMIC COOKTOP



**BC604TG-F 5103045**

- > 4 Zone Ceramic Cooktop
- > Sensor Touch Control Mode
- > 9 Stage Power Settings
- > Child Lock
- > Residual Heat Display
- > 99 Minute Timer
- > Automatic Safety Switch Off
- > Hard Wired

SPECIFICATIONS

- > Max Power: 6000W
- > Front Left Zone: 1800W
- > Rear Left Zone: 1200W
- > Front Right Zone: 1200W
- > Rear Right Zone: 1800W
- > 590mmW x 520mmD

60CM CERAMIC COOKTOP

**BCA64CGP-F 81478**


- > 4 Zone Ceramic Cooktop
- > Sensor Touch Control Mode
- > Child Lock
- > Hard Wired
- > Residual Heat Display
- > 99 Minute Timer

SPECIFICATIONS

- > Max Power: 6000W
- > Front Left Zone: 1800W
- > Rear Left Zone: 1200W
- > Front Right Zone: 1200W
- > Rear Right Zone: 1800W
- > 560mmW x 490mmD

Cooktops

60CM INDUCTION COOKTOP




B1604TG 5103044

- > 4 Zone Induction Cooktop
- > Sensor Touch Control Mode
- > 9 Stage Power Settings
- > Child Lock
- > Automatic Pan Recognition
- > 99 Minute Timer
- > Automatic Safety Switch Off
- > Hard Wired

SPECIFICATIONS

- > Max Power: 7000W
- > Front Left Zone: 1500W
- > Rear Left Zone: 2000W
- > Front Right Zone: 2000W
- > Rear Right Zone: 1500W
- > 590mmW x 520mmD

60CM INDUCTION COOKTOP



BIA64EGP-F 81479

- > 4 Zone Induction Cooktop
- > Sensor Touch Control Mode
- > Child Lock
- > Hard Wired
- > Residual Heat Display
- > 99 Minute Timer

SPECIFICATIONS

- > Max Power: 6000W
- > Front Left Zone: 1200W
- > Rear Left Zone: 1800W
- > Front Right Zone: 1800W
- > Rear Right Zone: 1200W
- > 580mmW x 510mmD

60CM INDUCTION SLIDE TOUCH COOKTOP




BDI604SG 5102874


- > Slide Touch Control Mode
- > 4 Cooking Zones
- > Total Power 7000W
- > 9 Stage Power Settings
- > 99 Minute Timer & Safety Cut Off
- > Booster
- > Water Overflow Protection
- > Automatic Pan Recognition
- > Child Lock Safety Feature
- > Residual Heat Indicator
- > Hard Wired
- > Toughened glass

SPECIFICATIONS

- > Total power - Left Front: 1200-1500W
- > Left Rear: 2300-2600W
- > Right Rear: 1200-1500W
- > Right Front: 2300-2600W
- > 590mmW x 520mmD



90CM 5 BURNER GAS COOKTOP




BG905X 5102304

- > Stainless Steel 5 Burner Cooktop
- > Front Controls
- > Electronic Ignition
- > Cast Iron Trivets
- > Flame Failure Safety Device On
- Each Burner
- > 10 Amp Power Supply
- > Plug In
- > LPG Or Natural Gas

SPECIFICATIONS

- > 1 x Triple Ring Wok Burner
- > 1 x Rapid Burner
- > 2 x Semi Rapid Burners
- > 1 x Auxiliary Burner
- > 865mmL x 503mmD

90CM CERAMIC COOKTOP WITH DUAL COOKING ZONES




BDC9060TG 5103048

- > 4 Zone Ceramic Cooktop
- > Toughened glass
- > Sensor Touch Control Mode
- > 9 Stage Power Settings
- > 99 Minute Timer
- > Automatic Safety Switch Off
- > Child Lock
- > Residual Heat Indicator
- > Hard Wired

SPECIFICATIONS

- > Total Power: 7200W
- > Left Front Zone: 1000W-2200W
- > Left Rear Zone: 1100W-2000W
- > Right Rear Zone: 1800W
- > Right Front Zone: 1200W
- > 900mmW x 520mmD

90CM INDUCTION COOKTOP WITH FLEXIBLE ZONE



BDI904SFBG 5103299



- > 4 Zone Induction Bevelled Edge Cooktop
- > Toughened glass
- > Slide Touch Control Mode
- > 15 Stage Power Settings
- > 99 Minute Timer
- > Automatic Safety Switch Off
- > Booster
- > Automatic Pan Recognition
- > Child Lock
- > 40 Amp Hard Wired

SPECIFICATIONS

- > Total Power: 7400W
- > Front Left Zone: 1800W-3000W
- > Rear Left Zone: 1800W-3000W
- > Flexible Zone: 3000W-4000W
- > Central Zone: 3000W-4000W
- > Front Right Zone: 1400W-2000W
- > 900mmW x 520mmD

Cooktops

30CM CERAMIC COOKTOP WITH 2 ZONES SENSOR TOUCH



BDC302TG / 5103057

- > 2 Zone Ceramic Cooktop
- > Toughened glass
- > Sensor Touch Control Mode
- > 9 Stage Power Settings
- > 99 Minute Timer
- > Automatic Safety Switch Off
- > Child Lock
- > Residual Heat Indicator
- > Hard Wired

SPECIFICATIONS

- > Total Power: 3000W
- > Front Zone: 1200W
- > Rear Zone: 1800W
- > 288mmW x 520mmD


PORTABLE INDUCTION COOKTOP



BPI2100 / 206564

- > Soft touch control panel
- > 1 Heating Zone
- > LED Display
- > 2 Year Warranty
- > Child lock
- > Timer function

30CM GAS GLASS COOKTOP



BDG301G / 5102876 / BDG302WG / 5102875

- > Glass 2 Burner Cooktop
- > Front Controls
- > Cast Iron Trivets
- > Flame Failure Safety Device On Each Burner
- > Electronic Ignition
- > 10 Amp Power Supply
- > Plug In
- > LPG Or Natural Gas

SPECIFICATIONS

- > 1 x Wok Burner
- > 1 x Semi Rapid Burner (2 burner only)
- > 300mmW x 510mmD

Built in Bar Fridge

145L OUTDOOR BUILT IN BAR FRIDGE



*Special
Order*

BBF145BI / 133507

- > 145L Capacity
- > Stylish Stainless Steel Door
- > Double glaze door
- > Heated glass
- > Electronic Control with LED Display
- > Plug In

145L BUILT IN WINE FRIDGE



*Special
Order*

BWF145BI / 144281

- > 145L Capacity
- > Stylish Stainless Steel door
- > Double glaze door
- > Heated glass
- > Electronic Control with LED Display
- > Dual Zone Control
- > Plug in



Bellini[®]

GSM Sales Pty Ltd

ABN 53 007 682 475

142-144 Fullarton Road, Rose Park SA 5067

For technical and warranty queries, please contact

1300 373 199

belliniappliances.com.au



Available at
BUNNINGS
warehouse